

MF600T01

Macerating Toilet System



MACERATOR PUMP

FEATURES:

- 30 feet Max. Vertical Discharge
- 260 feet Max. Horizontal Discharge
- 3 Versatile Water Inlets
- 1½" Dual Use Vent Pipe
- Sewage Outlet With Built-in Check Valve

SPECIFICATIONS:

- **Dimension**: $17^{5}/_{16}$ L * $11^{7}/_{16}$ H * $7^{1}/_{16}$ W
- Power Factor: 0.85
- Insulation Class: 155(F)
- **Speed:** 3450 RPM
- Power Consumption: 600 W
- Supply Voltage: 110V-60Hz
- Sound Pressure Level: <55 db(A)
- Enclosure Class: IP 55
- Max. Flow: 130L/min
- Start Level: 65mm
- Stop Level: 35mm
- Cable Length: 39 3/8"

TWO-PIECE TOILET

FEATURES:

- Rear Discharge Two-Piece Toilet
- Chair-Height (16 1/2")
- Powerful Direct Flush
- Space-Efficient Round Bowl
- Left-Handed Flush Lever

SPECIFICATIONS:

• N.W: 72.8 LB

Dimension: 26"L * 31 9/16"H * 16"W

• Trap Type: P-trap

• Flush Type: Direct Flush

• Flush Rate: 1.6GPF

• Waste Outlet: Wall

• Seat Shape: Round

Installation Type: Floor Mounted

Quality Assurance: 2-Year Warranty



PACKAGE INCLUDED:



Toilet Bowl



Floor Mounting Kit



Extension Pipes



Water Tank (Water Fittings Pre-installed)



Water Tank Mounting Kit



Adapter



Tank-To-Bowl Gasket



Lever



Toilet Seat



Seat Mounting Kit




Macerator Pump




Pump Fittings




	Pump	Bowl	Water Tank	Toilet Seat	Extension Pipes
Material	Stainless Steel, Polypropylene	Ceramic	Ceramic	Ceramic	Polypropylene
Color	White	White	White	White	White
Weight	14.3 LB	39 LB	28.7 LB	2.8 LB	2.3 LB

















PUMP FITTINGS:



WATER TANK MOUNTING KIT:




FLOOR MOUNTING KIT:






EXTENSION PIPES:



SEAT MOUNTING KIT:



WATER TANK CONNECTION KIT:



LEVER:

